

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and((subsequent or new)adj3 (request\$4 or transaction))same(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:01
L2	0	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same((subsequent or new)adj3 (request\$4 or transaction))same(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:59
L3	38	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and((subsequent or new)adj3 (request\$4 or transaction))same(available adj3 (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:02
L4	322	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and((subsequent or new)adj3 (request\$4 or transaction))and(available adj3 (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:02
L5	3	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same((subsequent or new)adj3 (request\$4 or transaction))and(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05
L6	3	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same((subsequent or new or nexy)adj3 (request\$4 or transaction))and(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05
L7	14	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) same((subsequent or new or next)adj3 (request\$4 or transaction))and(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05

EAST Search History

L8	235	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and((subsequent or new or next)adj3 (request\$4 or transaction))and(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:05
L9	41	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and((subsequent or new or next)adj3 (request\$4 or transaction))same(available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:07
L10	45	@ad<"20020416" and fail\$4 and ((subsequent or new or next)adj3 (request\$4 or transaction))same (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:15
L11	2	@ad<"20020416" and fail\$4 and ((subsequent or new or next)adj3 (request\$4 or transaction))near3 (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:08
L12	72	@ad<"20020416" and ((subsequent or new or next)adj3 (request\$4 or transaction))same (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:15
L13	3	@ad<"20020416" and ((subsequent or new or next)adj3 (request\$4 or transaction))near3 (assign\$4 or delivery or transmit\$4 or forward\$4) same (available adj (port or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:15
S1	1	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 18:19

EAST Search History

S2	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session and (generat\$3 or initial\$4 establish\$5) and (socket adj port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:34
S3	1	("7181017").PN.	USPAT	OR	OFF	2007/07/27 17:35
S4	0	("20050192099").PN.	USPAT	OR	OFF	2007/07/27 17:35
S5	1	("20050192099").PN.	US-PGPUB; USPAT	OR	OFF	2007/07/27 17:43
S6	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session same password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:10
S7	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3) near5 (id or identif\$7)and session and password and (shocket or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:39
S8	85	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:39
S9	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)near5 (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:40
S10	17	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:48
S11	2	@ad<"20020416" and (diagnos\$4) same (plurality or different or mulit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7) and session and password and (shocket or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:40

EAST Search History

S12	1	@ad<"20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7) and session and password and (shocket or port)and channel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:40
S13	0	("20050192099and(diagnos\$4)same (pluralityordifferentormultit\$3)samer equest\$4same(verif\$4orvalidat\$3or authenticat\$3)same(idoridentif\$7)") .PN.	US-PGPUB; USPAT	OR	OFF	2007/07/27 17:43
S14	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7) and "20050192099"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:43
S15	0	@ad<"20020416" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)and (id or identif\$7) and "20050192099"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:43
S16	0	"20050192099" and (diagnos\$4) same (plurality or different or multit\$3) same request\$4 same (verif\$4 or validat\$3 or authenticat\$3)and (id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 17:44
S17	0	("dignostic\$4samesessionsamehelp") .PN.	USPAT	OR	OFF	2007/07/30 15:38
S18	0	("dignostic\$4samesessionsamehelp") .PN.	USPAT	OR	OFF	2007/07/30 15:39
S19	0	("dignostic\$4samesessionsamehelp") .PN.	USPAT	OR	OFF	2007/07/30 15:39
S20	0	dignostic\$4 same session same help	USPAT	OR	OFF	2007/07/30 15:39
S21	82	diagnostic\$4 same session same help	US-PGPUB; USPAT	OR	ON	2007/08/01 10:11
S22	59	diagnostic\$4 same session same help and remot\$4	US-PGPUB; USPAT	OR	ON	2007/07/30 15:40
S23	9	diagnostic\$4 same session same help and remot\$4 and 709/2\$4.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/30 15:40
S24	9	diagnostic\$4 same session same help and remot\$4 and 709/2\$\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/30 15:43
S25	43	diagnostic\$4 same session same help and remot\$4 and @ad<"20030404"	US-PGPUB; USPAT	OR	ON	2007/07/30 15:43

EAST Search History

S26	22	diagnostic\$4 same session same help and remot\$4 and @ad<"20030404" and server and network	US-PGPUB; USPAT	OR	ON	2007/07/30 15:45
S27	4	diagnostic\$4 same session same help and remot\$4 and @ad<"20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2007/07/31 13:55
S28	0	diagnostic\$4 same collaborat\$4 same session same help and remot\$4 and @ad<"20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2007/07/30 15:51
S29	9	diagnostic\$4 and collaborat\$4 same session same help and remot\$4 and @ad<"20030404" and server and network and id	US-PGPUB; USPAT	OR	ON	2007/07/30 15:51
S30	1	("6901437").PN.	USPAT	OR	OFF	2007/07/31 13:56
S31	0	@ad<"20020416" and ((plurality or different or mult\$3) near3 request\$4) same ((diagnos\$4) near3 session) same (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:49
S32	0	@ad<"20020416" and ((plurality or different or mult\$3) near3 request\$4) same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:50
S33	0	@ad<"20020416" and ((plurality or different or mult\$3) same request\$4) same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:51
S34	2	@ad<"20020416" and ((plurality or different or mult\$3) same request\$4) same (diagnos\$4) same session and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:53
S35	11	@ad<"20020416" and request\$4 same (diagnos\$4) near3 session and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:54

EAST Search History

S36	11	@ad<"20020416" and request\$4 same ((diagnos\$4) near3 session) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:55
S37	136645	@ad<"20020416" and request\$4 same ((diagnos\$4) near3 session) and (technical adj support) (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:56
S38	0	@ad<"20020416" and request\$4 same ((diagnos\$4) near3 session) and (technical adj support) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 09:56
S39	8	@ad<"20020416" and request\$4 and ((diagnos\$4) near3 session) and (technical adj support) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:00
S40	0	@ad<"20020416" and request\$4 same (technical adj support)same ((diagnos\$4) near3 session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:01
S41	0	@ad<"20020416" and request\$4 and (technical adj support)same ((diagnos\$4) near3 session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:01
S42	1	@ad<"20020416" and request\$4 same(technical adj support)same ((diagnos\$4) same session)and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:01
S43	10	@ad<"20020416" and request\$4 same(technical adj support)same (diagnos\$4) and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:07

EAST Search History

S44	0	@ad<"20020416" and ((multi\$4 or plurality) adj3 request\$4) same(technical adj support)same diagnos\$4 and (verif\$4 or validat\$3 or authenticat\$3)same(id or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 10:08
S45	1	("7181017").PN.	USPAT	OR	OFF	2007/08/01 10:12
S46	0	request\$4 same (diagnos\$4 near3 collaborat\$4) same (technical adj support)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:15
S47	0	request\$4 same (diagnos\$4 near3 collaborat\$4) and (technical adj support)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:15
S48	440219	request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) adn (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:15
S49	2	request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:16
S50	0	@ad<"20020416" and request\$4 same (diagnos\$4 near3 collaborat\$4) same (id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:16
S51	1	@ad<"20020416" and request\$4 same (diagnos\$4 near3 collaborat\$4) and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:17
S52	1	@ad<"20020416" and request\$4 same (diagnos\$4 near5 collaborat\$4) and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/01 10:17
S53	2	@ad<"20020416" and request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:08
S54	28	"BROERMAN-KEITH-ROBERT.in. and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:27

EAST Search History

S55	28	"SHU-LINMEI.in.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:09
S56	28	"WANG-LIANGZHONG.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:18
S57	28	"THOMSON-LICENSING-S.A.and" request\$4 same diagnos\$4 same collaborat\$4 and(id or identif\$4) and (verif\$4 or validat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/08/03 11:09
S58	1	("6229894").PN.	USPAT	OR	OFF	2007/08/03 18:20
S59	1	("6529740").PN.	USPAT	OR	OFF	2007/08/03 18:21
S60	1	("6442433").PN.	USPAT	OR	OFF	2007/08/03 18:21
S61	1	("6181716").PN.	USPAT	OR	OFF	2007/08/03 18:22
S62	1	("6233236").PN.	USPAT	OR	OFF	2007/08/05 14:28
S63	46	request\$4 same diagnostic\$4 same fail same id or identif\$4 same password same socket same port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:35
S64	30	request\$4 same diagnostic\$4 same fail same id or identif\$4 same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:36
S65	0	request\$4 same diagnostic\$4 same fail same (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:36
S66	0	(subsequent near request\$4) same fail same (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:36
S67	1	(subsequent near request\$4) same fail and (id or identif\$4) same password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37
S68	1	(subsequent near request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37
S69	0	@ad<"20020416" and (subsequent near request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37

EAST Search History

S70	0	@ad<"20020416" and (subsequent near2 request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:37
S71	0	@ad<"20020416" and (subsequent near3 request\$4) same fail and (id or identif\$4) and password and (assigne\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:38
S72	1	@ad<"20020416" and (subsequent near3 request\$4) same fail and (id or identif\$4) and password and assigne\$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S73	1	@ad<"20020416" and (subsequent near3 request\$4) same fail and assigne\$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S74	1	@ad<"20020416" and (subsequent near request\$4) same fail and assigne\$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S75	1	@ad<"20020416" and (subsequent near request\$4) same fail and assign\$4 same socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S76	71	@ad<"20020416" and (subsequent near request\$4) same fail	US-PGPUB; USPAT	OR	ON	2007/08/05 14:39
S77	0	@ad<"20020416" and (subsequent near request\$4) same fail and assign\$4 same sockt	US-PGPUB; USPAT	OR	ON	2007/08/05 14:40
S78	1	@ad<"20020416" and (subsequent near request\$4) same fail and assign\$4 same socket	US-PGPUB; USPAT	OR	ON	2007/08/05 14:40
S79	5	@ad<"20020416" and (subsequent near request\$4) same fail and socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:42
S80	183	@ad<"20020416" and request\$4 same fail and (subsequent near request\$4) and socket and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:43
S81	1	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request\$4) and (assign\$4 near3 socket) and port	US-PGPUB; USPAT	OR	ON	2007/08/05 14:47
S82	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request\$4) and (assign\$4 near3 socket) and port and id and password	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44
S83	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request\$4) and (assign\$4 near3 socket) and port and id	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44

EAST Search History

S84	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request\$4) and (assign\$4 near3 socket) and port and identify	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44
S85	0	@ad<"20020416" and request\$4 same fail\$4 and (subsequent near request\$4) and (assign\$4 near3 socket) and port and pass	US-PGPUB; USPAT	OR	ON	2007/08/05 14:44
S86	0	@ad<"20020416" and reject\$4 same (subsequent near request\$4) and (assign\$4 near3 socket)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:48
S87	107	@ad<"20020416" and reject\$4 same (subsequent near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:48
S88	39	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:19
S89	0	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) same socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:54
S90	39	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) and socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:54
S91	0	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) and socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S92	153	@ad<"20020416" and socket same unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S93	13	@ad<"20020416" and socket near unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S94	22	@ad<"20020416" and socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:55
S95	0	@ad<"20020416" and request\$4 near3 reject\$4 same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:56
S96	0	@ad<"20020416" and request\$4 near3 (reject\$4 or den\$4 or stop\$4) same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:57
S97	0	@ad<"20020416" and request\$4 same (reject\$4 or den\$4 or stop\$4) same socket near3 unavailable	US-PGPUB; USPAT	OR	ON	2007/08/05 14:57
S98	0	@ad<"20020416" and request\$4 same (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:57
S99	0	@ad<"20020416" and (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:59

EAST Search History

S10 0	0	@ad<"20020416" and (reject\$4 or den\$4 or stop\$4) same (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:59
S10 1	9	@ad<"20020416" and (reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 14:59
S10 2	1	@ad<"20020416" and request\$4 near4(reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable)	US-PGPUB; USPAT	OR	ON	2007/08/05 15:00
S10 3	0	@ad<"20020416" and request\$4 near4(reject\$4 or den\$4 or stop\$4) and (socket near3 unavailable) and password	US-PGPUB; USPAT	OR	ON	2007/08/05 15:00
S10 4	0	@ad<"20020416" and reject\$4 near3 (subsequent near request\$4) and socket same assign\$4 same tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:20
S10 5	0	@ad<"20020416" and reject\$4 same(subsequent near request\$4)and assign\$4 near3 socket same tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S10 6	0	@ad<"20020416" and reject\$4 same(subsequent near request\$4)and assign\$4 near3 socket same tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S10 7	0	@ad<"20020416" and reject\$4 same(subsequent near request\$4)and assign\$4 near3 socket and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S10 8	139	@ad<"20020416" and assign\$4 near3 socket and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:21
S10 9	0	@ad<"20020416" and (assign\$4 near socket) same connect\$4 near communcation and tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:22
S11 0	7	@ad<"20020416" and (assign\$4 near socket) same tcp/ip and port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:23
S11 1	93	@ad<"20020416" and (socket near3 includ\$4 or compris\$4 or contain\$4)near3 tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:24
S11 2	8	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4))near3 tcp/ip same port	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25
S11 3	0	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4))near3 tcp/ip same port and telnet near request\$4	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25

EAST Search History

S11 4	0	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4))near3 tcp/ip same port and (telnet near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25
S11 5	0	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4))same tcp/ip same port and (telnet near request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:25
S11 6	0	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4))same tcp/ip same port and (telnet near3 request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26
S11 7	0	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4))same tcp/ip same port and (telnet near5 request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26
S11 8	16	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4))same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26
S11 9	34408	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:26
S12 0	1	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) near3 tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:27
S12 1	16	@ad<"20020416" and (socket near3 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:32
S12 2	8	@ad<"20020416" and (socket near (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:32
S12 3	41	@ad<"20020416" and (socket with (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:33
S12 4	19	@ad<"20020416" and (socket near5 (includ\$4 or compris\$4 or contain\$4)) same tcp/ip same port and modem	US-PGPUB; USPAT	OR	ON	2007/08/06 14:34
S12 5	61	@ad<"20020416" and socket same tcp/ip same port and modem and telnet	US-PGPUB; USPAT	OR	ON	2007/08/06 14:34

EAST Search History

S12 6	0	@ad<"20020416" and socket same tcp/ip same port and modem and (telnet adj request\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 14:35
S12 7	61	@ad<"20020416" and socket same tcp/ip same port and modem and telnet	US-PGPUB; USPAT	OR	ON	2007/08/06 14:35
S12 8	9	@ad<"20020416" and socket same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:39
S12 9	8	@ad<"20020416" and socket same (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:40
S13 0	0	@ad<"20020416" and socket near3 (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:40
S13 1	0	@ad<"20020416" and socket near5 (includ\$4 or compris\$4 or contain\$4) same tcp/ip same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:40
S13 2	27	@ad<"20020416" and socket same (internet protocol or ip) same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:53
S13 3	0	@ad<"20020416" and save\$4 same socket same (internet protocol or ip) same port and modem and telnet same session	US-PGPUB; USPAT	OR	ON	2007/08/06 14:52
S13 4	15	@ad<"20020416" and socket same (internet protocol or ip) same port and modem and telnet same session and save	US-PGPUB; USPAT	OR	ON	2007/08/06 14:53
S13 5	27	@ad<"20020416" and socket same (internet protocol or ip) same port and modem and telnet same session and (sav\$4 or stor\$4)	US-PGPUB; USPAT	OR	ON	2007/08/06 17:05
S13 6	8	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094"). PN.	US-PGPUB; USPAT	OR	ON	2007/08/06 17:05
S13 7	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094"). PN. and message	US-PGPUB; USPAT	OR	ON	2007/08/06 17:07

EAST Search History

S13 8	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094"). PN. and message\$1	US-PGPUB; USPAT	OR	ON	2007/08/06 17:07
S13 9	7	("20020007453" "20020099777" "20040080534" "6286001" "6421709" "6442590" "6981223" "7152094"). PN. and message\$1	US-PGPUB; USPAT	OR	ON	2007/08/06 17:07
S14 0	25	@ad<"20020416" and (maximum or limit\$)same connection same server and (link\$2 or channel\$2 or path\$2)same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:13
S14 1	3564984	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2)same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:13
S14 2	4	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2)same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:15
S14 3	57	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2)same (fail\$4 or recover\$4) same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:16
S14 4	29	@ad<"20020416" and (maximum or limit\$) near3 connection same server and (link\$2 or channel\$2 or path\$2)same (fail\$4 or recover\$4) same request\$4 and 709/2\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 15:17
S14 5	12	@ad<"20020416" and maximum near3 connection same server and (link\$2 or channel\$2 or path\$2)same (fail\$4 or recover\$4) same request\$4 and 709/2\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:58
S14 6	1256	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)same (fail\$4 or recover\$4) same request\$4 and 709/2\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:58

EAST Search History

S14 7	329	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near3 (fail\$4 or recover\$4) same request\$4 and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:58
S14 8	22	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near3 (fail\$4 or recover\$4) same subsequent same (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 10:59
S14 9	5	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)near3 (fail\$4 or recover\$4) same subsequent near3 (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:01
S15 0	6	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near4 (fail\$4 or recover\$4) same subsequent near3 (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:02
S15 1	169	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near4 (fail\$4 or recover\$4) and subsequent near3 (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:02
S15 2	108	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near4 (fail\$4 or recover\$4) and subsequent near (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:02
S15 3	64	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near (fail\$4 or recover\$4) and subsequent near (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 11:04
S15 4	13	@ad<"20020416" and (link\$2 or channel\$2 or path\$2)near recover\$4 and subsequent near (action or request\$4) and 709/2\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 14:49
S15 5	1	("20030074403").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/21 14:53

EAST Search History

S15 6	440	@ad<"20020416" and(link\$2 or channel\$2 or path\$2)same fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:20
S15 7	170	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 same recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:20
S15 8	58	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:20
S15 9	3	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 same (subsequent near3 (action or request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 15:24
S16 0	37	@ad<"20020416" and(link\$2 or channel\$2 or path\$2) near3 fail\$4 near3 recover\$4 and (subsequent near3 (action or request\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:56
S16 1	1	@ad<"20020416" and redirect same request same (available adj (socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:58
S16 2	188	@ad<"20020416" and redirect near3 request same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:58
S16 3	29	@ad<"20020416" and redirect near3 request near4 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:01

EAST Search History

S16 4	1151	@ad<"20020416" and subsequent near3 request same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:02
S16 5	228	@ad<"20020416" and (subsequent near3 request) near4 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:02
S16 6	90	@ad<"20020416" and (subsequent near request) near4 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:02
S16 7	9	@ad<"20020416" and (subsequent near request) near (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:03
S16 8	10	@ad<"20020416" and (subsequent near request\$4) near (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04
S16 9	581	@ad<"20020416" and (subsequent near request\$4) same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04
S17 0	70	@ad<"20020416" and (subsequent near request\$4) near3 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04
S17 1	0	@ad<"20020416" and redirect same (subsequent near request\$4) near3 (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:04

EAST Search History

S17 2	5	@ad<"20020416" and redirect same (subsequent near request\$4) same(socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:21
S17 3	1	@ad<"20020416" and (fail\$4 adj request\$4) same (subsequent near request\$4) same(socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:23
S17 4	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same(socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:23
S17 5	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same (socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:23
S17 6	7	@ad<"20020416" and (fail\$4 adj3 request\$4) same (subsequent adj3 request\$4) same (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:25
S17 7	1070	@ad<"20020416" and (subsequent adj3 request\$4) same (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:25
S17 8	55	@ad<"20020416" and (subsequent adj3 request\$4)near (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:25
S17 9	6	@ad<"20020416" and (subsequent adj request\$4)near (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:27

EAST Search History

S18 0	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)near (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:28
S18 1	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)near5 (frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:28
S18 2	7	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same(frequency or socket or link\$2 or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:31
S18 3	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:33
S18 4	23	@ad<"20020416" and (subsequent adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:33
S18 5	23	@ad<"20020416" and ((fail\$4 or subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:34
S18 6	0	@ad<"20020416" and ((fail\$4 and subsequent) adj request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:34
S18 7	0	@ad<"20020416" and ((fail\$4 and subsequent) adj3 request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:34

EAST Search History

S18 8	0	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:35
S18 9	33	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36
S19 0	0	@ad<"20020416" and (fail\$4 adj request\$4) same (subsequent adj3 request\$4)and ("same" adj(frequency or socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:35
S19 1	30	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or link\$2 or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36
S19 2	10	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36
S19 3	10	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)and ("same" adj(socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:36
S19 4	6	@ad<"20020416" and (subsequent adj3 request\$4)near3("same" adj(socket or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:39
S19 5	7	@ad<"20020416" and (subsequent adj3 request\$4)near3("same" adj(socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:41

EAST Search History

S19 6	30	@ad<"20020416" and (subsequent adj3 request\$4)same("same" adj(socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:41
S19 7	15	@ad<"20020416" and fail\$4 and (subsequent adj3 request\$4)same("same" adj(socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:44
S19 8	0	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same("same" adj(socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:44
S19 9	40	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:44
S20 0	4	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:45
S20 1	40	@ad<"20020416" and (fail\$4 adj request\$4) and (subsequent adj3 request\$4)same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:50
S20 2	48	@ad<"20020416" and (fail\$4 adj (request\$4 or transaction)) and (subsequent adj3 (request\$4 or transaction))same(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:52
S20 3	183	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))near3(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:53

EAST Search History

S20 4	82	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))near(socket or port or channel\$2 or path\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:53
S20 5	1	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))near("same" adj (socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:54
S20 6	1	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))near("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:54
S20 7	13	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))near3("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 18:55
S20 8	37	@ad<"20020416" and (subsequent adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:07
S20 9	78	@ad<"20020416" and (request\$4 or transaction adj3 fail\$4) and((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:08
S21 0	12	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 19:12
S21 1	12	@ad<"20020416" and ((request\$4 or transaction) adj3 fail\$4) and((subsequent or new)adj3 (request\$4 or transaction))same("same" adj (port or link or socket or port or channel\$2 or path\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 09:58